



ৰাষ্ট্ৰীয় স্বাস্থ্য অভিযান, অসম

OFFICE OF THE MISSION DIRECTOR
NATIONAL HEALTH MISSION, ASSAM

Saikia Commercial Complex, Sri Nagar Path, Near Post office Bus Stand
G. S. Road, Christianbasti, Guwahati – 781005

Website: <https://nhm.assam.gov.in> :: Phone No: 0361-2340236/39 :: Email Id: mdnrhmasm@gmail.com

No: NHM/PROC/HOSP-FURNITURE/3100/2016-17/25415

Date: 24/12/2019

CORRIGENDUM NO.1

e-TENDER FOR ENTERING INTO RATE CONTRACT FOR HOSPITAL & OFFICE FURNITURE

This has reference to the e-tender No: NHM/PROC/HOSP-FURNITURE/3100/2016-17/24185 Date:07/12/2019 invited from manufacturers or authorized distributors/dealers for entering into two years rate contract for “Supply of Hospital & Office Furniture” to health institutions in different districts of Assam.”The following amendment and clarification may be taken note of prior to submission of bids.

1. **Sub-clause 1.4.5 of Clause 1.4 “ELIGIBILITY CRITERIA” is amended to read as follows:**

Manufacturer/Manufacturers whose products have been quoted should have valid CE/USFDA, ISO 13485:2016, BIFMA, ISO 9001:2015, OHSAS 18001:2007, ISO 14001:2015 certificates etc. as specified at Annexure XI

2. **Sub-clause 1.5.7 of Clause 1.5 “GENERAL CONDITION” is amended to read as follows:**

The clause “Price Preference/ Purchase Preference to PSUs / SSI Units shall not be applicable “is **deleted** from the scope of general tender condition.

25% share preference and 20 % price preference shall be accorded to the registered Micro and Small Enterprises located in and operating from within the State of Assam subject to the production of valid registration certificate, only with respect to the goods manufactured by them .

Preference will not be given for the product not manufactured by the MSME unit.

3. **Sub-Clause 1.13.4 is added under Clause 1.13 “SUPPLY AND SERVICE CONDITION” as below:**

The Manufacturer /authorized dealer should have at least a central Service Center located at Guwahati, Assam and the same should be equipped with necessary spares and manpower to provide prompt service within 48 hours of the complaint raised.

4. **Sub-Clause 1.2.8 under Clause 1.2 “ IMPORTANT NOTES” is amended to read as below:**

The EMD amount shall depend on the item(s) the bidder chooses to participate. The EMD amount for each item is given as below:

Sr. No.	Description of Items	EMD IN Rs.
1	Patient's Examination Couch with Foot Step (Single)	3,30,600.00
2	Revolving Stool	65,800.00
3	Doctor's Table	53,000.00
4	Doctor's chair	31,700.00
5	Visitor's Chair	20,300.00
6	Bed side screen-3 Fold	77,400.00
7	Invalid Wheel Chair	51,000.00
8	Stretcher-on-trolley	75,000.00
9	Patient Waiting Chair	1,24,600.00
10	Medicine Rack	37,000.00
11	Almirah for Medicines	95,000.00
12	Office Table	99,000.00
13	Office Chair	71,000.00
14	Instrument Cabinet	94,000.00
15	IV Stand	1,00,200.00
16	Dressing Trolley	10,900.00
17	Hospital Bed with mattress	95,000.00
18	ICU Bed	6,60,000.00
19	Fowler Bed with Mattress	28,900.00
20	Semi Fowler Bed with Mattress	1,00,200.00
21	Bed Side Locker	1,63,000.00
22	Foot Step Double	3,30,600.00
23	Mayo's Instrument Trolley	10,500.00
24	Instrument Trolley	1,33,000.00
25	Labour Table with foam mattress	2,97,000.00
26	Student Chair	75,000.00
27	Crash cart trolley	40,500.00
28	Warm Food Trolley	65,500.00
29	Non-Hydraulic Field Type OT Table	25,000.00

5. Annexure VII is amended to read as below:

ANNEXURE –VII (Rev): LIST OF ITEMS QUOTED

Tender Ref No. _____

Sr. No.	Description of Items	Tentative Quantity	Manufacturer's Name	Make/Model No	Warranty Period in Years	Price Quoted/ Not Quoted	Technical Specifications Attached/Not Attached	EMD Amount Submitted
1	Patient's Examination Couch with Foot Step (Single)	704						
2	Revolving Stool	1844						
3	Doctor's Table	354						
4	Doctor's Chair	354						
5	Visitor's Chair	470						
6	Bed side screen-3 Fold	180						
7	Invalid Wheel Chair	230						
8	Stretcher-on-trolley	230						
9	Patient Waiting Chair	748						
10	Medicine Rack	378						
11	Almirah for Medicines	424						
12	Office Table	666						
13	Office Chair	730						

14	Instrument Cabinet	508						
15	IV Stand	1940						
16	Dressing Trolley	368						
17	Hospital Bed with Mattress	2100						
18	ICU Bed with mattresses	106						
19	Fowler Bed with mattress	190						
20	Semi-Fowler Bed with mattress	190						
21	Bed Side Locker	1776						
22	Foot Step Double	598						
23	Mayo's Instrument Trolley	78						
24	Instrument Trolley	316						
25	Labour Table with Foam Mattress	388						
26	Student's Chairs	500						
27	Crash Cart Trolley	78						
28	Warm Food Trolley	78						
21	Non-Hydraulic Field Type OT Table	50						

6. Technical Specifications of few items under Annexure XI is modified to read as below. Specifications of other items shall remain unchanged. The quality certificate of the other items shall be as per revised Sub clause 1.4.5 of this Corrigendum.

Sl.No	Tender Specification	Technical Specification Quoted by the bidder	Deviation if any
2	<p><u>Revolving Stool :-</u></p> <ul style="list-style-type: none"> • Overall all height adjustable Approx. Size: 480mm to 670mm H • Tubular four legs base of 25.4 x 18g ERW tube. • 300mm dia SS Top Height adjustment by screw mechanism. • The legs should be fitted with high quality PVC shoes with nylon reinforcement. • All MS Parts should be 7 tanks Pre-treated & powder coated & SS parts finished with glossy polish. Minimum 30 mm Cushioned top with waterproof rexine cover. <p>Should have valid OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 years</p>		
6	<p><u>Bed side screen-3 Fold:-</u></p> <ul style="list-style-type: none"> • Overall Size : 1680mm L x 2450mm W • Tubular frame work should be made from 19mm dia x 1.2mm ERW CRCA tubes. • Legs Base should be made from dia 25.4mm x 1.2mm tube ERW CRCA Tubes Fitted with 50mm dia non-rusting castor. Middle panel should be 1220mm and side panels 610mm each side. Should have curtain hooks and wire. <p>Curtain specification: Polymer Curtain compatible with the above frame. Should have valid CE/ USFDA ISO 13485:2016, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 years</p>		
8	<p><u>Stretcher-on-trolley:-</u></p> <p>Overall approx size: 2130mm L x 560mm W x 810mm H. Frame work should be made of ERW CRCA tubes welded</p>		

	<p>with vertical upright of 31.75 mm OD x 18G ERW tubes, reinforced at bottom with 35mm OD x 18G for fitting 150mm dia swivels castors wheels, all without brake. All horizontal stays should be made of 25.4mm OD x 18G tube. Stretcher made of 20 G sheet dished in the middle & supported horizontally on 25.4mm OD x 18G tubes. Three additional 25 x 5mm flat supports welded to support MS sheet top from underneath widthwise. Pushing handle at both ends shall be made of 25.4 mm x 18G SS tube. Four stump legs of 25.4mm x 14G ERW tube should be welded at the bottom of the stretcher frame. Should be fitted with PVC or synthetic material having Nylon reinforced. All MS parts should be 7 tank pre-treated & Powder Coated.</p> <p>Should have valid CE/USFDA, ISO 13485: 2016, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates.</p> <p>Warranty for 3 years</p>		
16	<p><u>Dressing Trolley:-</u></p> <ul style="list-style-type: none"> Should be made from SS 304 grade 16SWG pipes having two SS Machine pressed dipped tops provided with four-side side railing, holder cage for bowl and bucket, SS bowl and bucket, push handle, on 10cms castors. Dimension: 76 L x 46 W x 81 H cms. <p>Should be CE/US FDA, ISO 9001:2015, OHSAS 18001:2007, ISO 14001:2015 certificates. Warranty for 3 years</p>		
17	<p><u>Hospital Bed with Mattress :-</u></p> <ul style="list-style-type: none"> Frame should be made of rectangular 16 G CRCA pipes, 18 G CRCA perforated sheet top, SS 304 grade head and foot bows should be fitted with laminated wooden boards, provided with mattress guard, provision for fixing IV/Saline rod, pre-treated in 7 Tank hot processes and powder coated. Dimension: 203 L x 90 W x 60 H cms. 4" Supplied with Foam Mattress covered with water proof rexine. <u>Specifications of mattress:-</u> Single section Mattress with 4" thick PU Foam of 32 densities covered with PVC Rexine. Mattress of the bed is made up of foam with anti-microbial agent incorporated into all components for prohibiting growth of bacteria and fungi. 		

	<ul style="list-style-type: none"> Sealed stitches and water proof zip. Standard Accessories: Mosquito net poles set. <p>Should have valid CE/US FDA, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 yrs</p>		
18	<p>ICU Bed. :-</p> <p>Frame made of 16 G CRCA rectangular pipes, 18G CRCA sheet four section perforated top with back-rest, knee-rest, Trendelen-burg's and reverse Trendelen-burg's position, Hi-Lo (high-low) height adjustable (positions maneuverable by four separate screw mechanisms) imported ABS panels/head and leg bows, MS Collapsible Side Rails, provided with one number IV/saline rod with provision for fixing IV/saline rod at four corners of the bed frame, 15 cms diameter swiveling castors which two with brakes. The bed is pre-treated in 7 tank hot process and powder coated. Dimension 203L x 90Wx 60-80 H Cms (approx.).</p> <p>Should have valid CE/US FDA, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 yrs</p> <p><u>Specifications of mattress:-</u></p> <ul style="list-style-type: none"> 100 mm density PU Mattress Mattress of the bed is made up of foam with anti-microbial agent incorporated into all components for prohibiting growth of bacteria and fungi. Sealed stitches and water proof zip. Standard Accessories: Mosquito net poles set. 		
19	<p>Fowler Bed:-</p> <p>Frame made of 16 G CRCA rectangular pipes, 18G CRCA sheet four section perforated top with back-rest, knee-rest maneuverable from foot-end by separate screws, imported ABS panels/head and leg bows, provision for fixing IV/saline rod at four corners of the bed frame, provided with mattress guard at four locations, the rod mounted on 10 cms diameter swiveling castors which two with brakes. The bed pre-treated in 7 tank hot process and powder coated. Dimension: 203 L x 90 W x 60 H cms (Approx.).</p> <p>Should have valid CE/US FDA, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 yrs</p>		

	<ul style="list-style-type: none"> • <u>Specifications of mattress:-</u> • 100 mm density PU Mattress • Mattress of the bed is made up of foam with anti-microbial agent incorporated into all components for prohibiting growth of bacteria and fungi. • Sealed stitches and water proof zip. • Standard Accessories: • Mosquito net poles set. 		
20	<p>Semi-Fowler Bed:-</p> <p>Frame made of 16G CRCA rectangular pipes, 18G CRCA sheet two section perforated top with back-rest maneuverable from foot-end by screw, imported ABS panels/head & Foot Bows, bed mounted on rubber stumps, provided with mattress guard on four locations, provision for fixing IV/Saline rod. The bed pre-treated in 7 tank hot process and powder coated. Dimension: 203L x 90 W x 60 H cms (Approx.).</p> <p>Should have valid CE/US FDA, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 yrs</p> <ul style="list-style-type: none"> • <u>Specifications of mattress:-</u> • 100 mm density PU Mattress • Mattress of the bed is made up of foam with anti-microbial agent incorporated into all components for prohibiting growth of bacteria and fungi. • Sealed stitches and water proof zip. • Standard Accessories: • Mosquito net poles set. 		
23	<p><u>Mayo's Instrument Trolley. :-</u></p> <ul style="list-style-type: none"> • Overall Approx. Tray Size: 560L x 400W mm • Should be Adjustable height of tray Approx. 760 x 1270mm through gear handle • Frame work should be made of 50 x 30 x 1.22 mm rectangular M.S. Tubes. • Vertical Tube should be made of 50 mm x 50 mm x 1.22mm MS Tubes. • Tray should be made of 0.9mm thick SS. 304 Grade sheet. • Tray frame should be made of 9mm SS 304 grade Rod 		

	<ul style="list-style-type: none"> Trolley should be mounted on 50mm dia non-rusting castors MS Parts should be pre-treated in 7 tanks and powder coated. <p>Should have valid CE/US FDA, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 yrs</p>		
24	<p>Instrument Trolley :-</p> <ul style="list-style-type: none"> Should be made of SS 304 grade 16 SWG pipes/ 20 SWG two shelves, provided with three-side side railing on top, having four side-railing on bottom self, on 7.5cms castors. Dimension: 60L x 46W x 81H cm. <p>Should have valid CE/US FDA, OHSAS 18001:2007, ISO 9001:2015, ISO 14001:2015 certificates. Warranty for 3 yrs</p>		

Note: All items requiring to have SS parts/accessories should be 304 grade only. The tendered specifications are the minimum requirements. Specifications better than the tendered specifications will also be accepted.

All other terms & conditions of the tender referred to above shall remain unchanged. The last date of bid submission is extended to 09/01/2020 up to 2:00 PM. Bids will be opened on the same day at 4:00 PM

Sd/-
Mission Director, NHM, Assam