



OFFICE OF THE MANAGING DIRECTOR
ASSAM MEDICAL SERVICES CORPORATION LIMITED
Central Drug Ware House Campus, Patherquery, Narengi, Guwahati, Assam-781026
Email id: md-amscl@assam.gov.in

No. AMSCL/TENDER/Chemical-Reagent/2021/ECF:18144/130-P

DATE: 3-02-2022

CORRIGENDUM NO.1

This is with reference to TENDER NO. **AMSCL/TENDER/Chemical-Reagent/2021/ECF:18144/30364**, DATE: **06-01-2022** for entering into rate contract cum EMPANELLEMENT OF MANUFACTURERS for supply essential for supply essential **ESSENTIAL CHEMICALS & REAGENTS**.

The following amendments in the tender may be taken note of prior to submission of bids.

- 1. ANNEXURE–XIII list of item with product compliance is hereby modified and read as below as ANNEXURE–XIII (Revised)**

In ANNEXURE–XIII (Revised) **“LIST OF ITEMS WITH PRODUCT COMPLIANCE”** for 3 (three) nos. of items the specification is hereby amended to read as below:

Tender Sl. No	Earlier Tender Specification	Amended Specification	Unit	Tentative Quantity for 2 years
14	Cetrimide Solution 20% (Concentrate for dilution)	Cetrimide Solution 20% (Concentrate for dilution), 50 ml bottle	Plastic Jar/ bottle	30,000
15	Chlorhexidine solution 5% (concentrate for dilution)	Chlorhexidine solution 5% (concentrate for dilution), 100 ml bottle	Plastic Jar/ bottle	30,000
21	Iomerol 350 mg/ 100 ml	Iohexol 350 mg/ 100 ml	Bottle	10,000

- 2. Tender clause 2.5: “Quality Standard” may be modified to read as below:**

2.5.1 Bidder must have following quality certificates:

- 1). Bidder of **Rectified Sprit IP 450 ml & Methylated Sprit IP 500 ml (alcohol product)**: should hold a valid **GMP/WHO-GMP** as the Pharmaceutical grade product is required to use in peripheral hospitals. *The said certificates must not be older than one year from the date of bid submission in the case where validity is not mentioned in the certificate.*

- 2). For rest of the tender items which is not under Pharmacopoeia: **CE/US-FDA/ Indian Equivalent BIS** certificate (valid as on date of tender submission) issued by the appropriate & authorized Licensing Authority to be submitted with the technical bid. *The said certificates must not be older than one year from the date of bid submission in the case where validity is not mentioned in the certificate.*

3. A new Annexure is here by incorporated on Product compliance i.e Details to be submitted in Non-Judicial Stamp Paper stating the details on offered specification in bid by the bidder against the Tender specification as per Corrigendum No-1 above.

Annexure- XVI
PRODUCT COMPLIANCE
(In Non Judicial Stamp Paper)

Tender Sl. No	Name of the item with specification as per Corrigendum no. 1	Specification offered by the bidder in the bid	Deviation if any

Declaration: I do hereby declare that the above statement/offered specification are true/correct to the best of my knowledge

SIGNATURE:

SEAL OF THE FIRM:

NAME & DESIGNATION:

DATE:

NAME & ADDRESS OF THE FIRM:

4. In view of the Corrigendum-1, the start date & last date of Bid submission will be extended as bellow

Key Events	Earlier date	Extended to
Start date	3/2/2022	8/2/2022
End date	8/02/2022	14/02/2022 (till 2.00 pm)
Bid Opening	8/02/2022 (at 3.00 pm)	14/02/2022 (at 3.00 pm)

All other terms & Conditions of the above referred tender shall remain unchanged.

Sd/-
(Dr. Robin Kumar, IPS)
Managing Director, AMSCL, Assam