



**OFFICE OF THE MISSION DIRECTOR  
National Health Mission, Assam  
Saikia Commercial Complex, Srinagar Path, Christian Basti,  
G S Road, Guwahati-781005, Assam**

Website : [www.nrhmassam.in](http://www.nrhmassam.in)

e-mail : [misnrhm.assam@gmail.com](mailto:misnrhm.assam@gmail.com)

Ref: NRHM/PMH Pt III/327/2010-11/94588

Date: 24-2-2015

**CORRIGENDUM No -1**

**Tender for selection of manufacturer for supply of Sanitary Napkin**

This has reference tender NO: NRHM/PMH Pt III/327/2010-11/18689, dated 16/2/2015 for supply of Sanitary Napkin. The following amendments may be taken note of prior to submission of bids.

1. Annexure -XII (Specification & Scope of work) of the tender shall stand replaced by Annexure- XII (Rev-I) included in this document.
2. Annexure - XI (Checklist) of the tender shall stand replaced by Annexure- XI (Rev-I) included in this document.
3. In addition to documents specified under clause 6 of the tender, bidders shall have to submit an undertaking for embossment of logo as per format at Annexure -XIII included in this document.

All other terms & conditions will remain unchanged

-sd/-

( Dr. P. Ashok Babu , I.A.S)  
Mission Director, NHM, Assam

**Specifications & Scope of Work****Technical Specifications (dimensions are as below)**

<b>SN</b>	<b>Specification</b>	<b>Values</b>
1	Overall Length (mm)	230mm+/-5
2	Fluff core/pad length (mm)	210+-10
3	Fluff core/pad width(mm)	65mm+-5
4	Thickness of a single pad (mm)	8-10mm
5	Weight of a single pad	7.5-10gm
6	Peel of strength not less than	1.5 Newton

Absorbency: The product should be able to absorb not less than 50ml of saline (I.P)

pH: the pH of the product should be in range of 6-8.5 when tested by the mentioned given in IS:1390-196

**(I) Detailed raw material specifications:**

Raw Material	Specifications			
	Colour	Thickness	Width	Grade
Fluff pulp	White		482mm	Soft wood pulp.Long fiber
Nonwoven sheet	Natural White	20gsm+/-10%	110mm	Hydrophilic
Back sheet	White	24gms+/-10%	110mm	LDPE, Carona Treated
Glue – Construction				Polymer based
Glue Release paper				Polymer based
Release Paper	White with printing of FREEDAYS	40gsm+/-10%	50mm	

	logo ( PANTONE 3125C)			
Tissue paper	White	16gsm+/-10%	170mm	Soft paper
Poly bag (Primary pack	Four color printed	40gsm+/-10%		LDPE
Carton ( Secondary packing)/Corrugated boxes(internally Stapled)	Craft paper,Single color,printed			(150gsmx5ply)750gsm with a bursting strength of 15kg/cm <sup>2</sup>

(II) Packaging and Labeling :

**a. Primary Package:**

Each primary package shall contain 6 Sanitary Napkins in a side gusted polythene bag of good quality material (Subject to approval of sample by the purchaser) which will confirm to size of the product and scaled properly. The ploy bag should carry the artwork of FREEDAYS brand. The designing and printing of the bag shall be done at the cost of the manufacturer as per printing matter including logo (in four colour ) provided by NHM, Assam. The printing work shall be in weatherproof ink and shall withstand immersion I water and remain intact. The artwork to be provided on the primary packaging should bear the following

- ✓ Name of the manufacturer
- ✓ Manufacturing license number
- ✓ Address of manufacturer
- ✓ Length and dimensions
- ✓ Lot/.batch number
- ✓ Date of manufacturing and expiry
- ✓ No. of sanitary napkins in each package

The designing of the primary package shall be subject to the approval of NHM, Assam.

**b. Secondary Package**

The sanitary napkins contained in primary package should be packed in boxes for easy handling, transport and distribution. The secondary packing will have a dimension of one box shall contain 160primary packages of (6) sanitary napkin each.

The artwork to be provided along with the secondary packing will be provided by NHM in CDR format.

The secondary packing should carry the barcode . The barcode shall be printed on the lable of the secondary package. The barcode must comprise of the following:

- ✓ Expiry date in YYMMDD format and using application identifier(17)
- ✓ Master batch number using application identifier (10)

The specification of the boxes used for secondary packing are as below:

Dimension	<b>610 mmx440mmx345mm(lxwxh)</b>
Stapling	Internally stapled
Thickness	Total thickness is to be 750gsm(5ply x 150gsm)
Material used for fabrication	Combination of virgin kraft and semi virgin kraft paper
Bursting strength	The bursting strength should be atleast 15kg/cm <sup>2</sup>

**The carton should be sealed with good quality BOPP tapes and should be strapped with heat sealable PP straps**

**Tentative Quantity:**

The tentative requirement of the Sanitary Napkin is 40, 000, 00 packs (Approx) with each pack containing 6 napkins.

**ANNEXURE-XI (Rev- I)****CHECK LIST**

<b>Sl.</b>	<b>Cover A</b>	<b>Yes</b>	<b>No</b>
1.	Court Fee Stamp affixed		
2.	EMD in the form of DD furnished		
3.	Documentary evidence for the Constitution of the company		
4.	Duly attested / notarized copy of License issued by the competent Licensing Authority for the products quoted		
5.	The instruments such as Power of Attorney, Resolution of Board etc.		
6.	Undertaking as per Annexure I		
7.	Annual Turnover Statement for last three financial year as per Annexure – II		
8.	Performance Statement as per Annexure III		
9.	Sales Tax Clearance Certificate as per Annexure IV &V		
10.	Details of Manufacturing Unit as per Annexure VI		
11.	Undertaking on Fraud & Corruption as per Annexure VII		
12.	Agreed Terms & Conditions as per Annexure- VIII		
13	Undertaking for embossment of logo as per annexure XIII		
<b>Sl</b>	<b>Cover B</b>	<b>Yes</b>	<b>No</b>
1.	Price Bid as per Annexure IX		

**ANNEXURE-XIII**

**Tender No:**

**UNDERTAKING FOR EMBOSSMENT OF LOGO**

**We M/s ..... do hereby declare that, if favored with an order, we will supply Sanitary Napkin embossed with NHM Logo and the words “NHM ASSAM SUPPLY” or as per any other instructions given in this regard.**

SIGNATURE :

NAME & DESIGNATION :

DATE :

NAME & ADDRESS OF THE FIRM :



**LOGOGRAM**