

OFFICE OF THE MISSION DIRECTOR NATIONAL HEALTH MISSION, ASSAM

SAIKIA COMMERCIAL COMPLEX, CHRISTAN BASTI, G.S ROAD, GUWAHATI-781005 PH. NO: 0361-2363062; TELE FAX: 0361-2363058

TENDER FOR ENTERING INTO RATE CONTRACT FORMEDICAL EQUIPMENTS & INSTRUMENTS

(NATIONAL COMPETITIVE BIDDING)



OFFICE OF THE MISSION DIRECTOR NATIONAL HEALTH MISSION, ASSAM

SAIKIA COMMERCIAL COMPLEX, CHRISTAN BASTI, G.S ROAD, GUWAHATI-781005

PH. NO: 0361-2363062; TELE FAX: 0361-2363058

Website: www. nrhmassam.in e-mail: misnrhm.assam@gmail.com

TENDER FOR MEDICAL EQUIPMENTS &INSTRUMENTS

(NATIONAL COMPETITIVE BIDDING)

Tender No: NHM/PROC/Medical Equip/2846/2015-16/23304 Date:20/02/2016

Date of sale of Tender Document :29/02/2016

Last Date& Time of sale Tender Document : 19/03/2016

Pre Bid Meeting : 10/03/2016 at 4PM

Last Date and Time of receipt of Tender :21/03/2016 till 2 PM

Last Date and Time of opening Tender :21/03/2016 at 3PM

Place of opening Tender. : Office of the Mission

Director, National Health Mission, Saikia Commercial Complex, Shreenagar Path, Christianbasti, G.S Road, Guwahati-781005, Assam.

Address for Communication : Mission Director,

National Health Mission, Saikia Commercial Complex, Shreenagar Path, Christianbasti, G.S Road, Guwahati-781005,

Assam.

Cost of Tender Documents in Demand Draft : Rs. 2000/-(Rupees Two

Thousand) onlyin the form of demand draft in favour of "State Health Society,

Assam"



OFFICE OF THE MISSION DIRECTOR NATIONAL HEALTH MISSION, ASSAM

SAIKIA COMMERCIAL COMPLEX, CHRISTAN BASTI, G.S ROAD, GUWAHATI-781005

PH. NO: 0361-2363062; TELE FAX: 0361-2363058

TENDER FORMEDICALEQUIPMENTS&INSTRUMENTS

Sealed tendersin two Bid System (Technical Bid & Price Bid in separate sealed envelopes) affixing court fee stamp of Rs 8.25 (or IPO of Rs 10/- for bidders located outside the State of Assam) only, are invited from manufacturers or authorized distributors/dealers for entering into rate contract for "Supply of MedicalEquipments&Instruments" to health institutions in different districts of Assam.

1. LAST DATE FOR UPLOAD AND RECEIPT OF TENDERS.

Sealed Tenders in two separate covers {Technical bid (Cover "A") and Price Bid (Cover "B")} will be received up to21/03/2016 till 2 PM by the Mission Director, National Health Mission, Saikia Commercial Complex, Shrinagar Path, Christianbasti, G S Road, Guwahati-781005, Assam.

2. IMPORTANT NOTES:

- a) The bidder shall quote prices in Indian Rupees only, on FOR destination basis.
- b) Delivery of the ordered items shall be affected at District Drug Ware Houses or the designated Health Institutions spread over 27 districts in Assam.
- c) Arrangement of Road Permits for despatch of consignments shall be the responsibility of the successful bidder (s).

3. PRE-BID MEETING

A Pre- Bid meeting with all the intending bidders will be held at Conference Hall of NHM Office on 10/03/2016at 4pm.

4. ELIGIBILITY CRITERIA

- A. Bidder shall either be manufacturer anauthorised a or distributor/dealer having experience of supplying Medical Equipments/Instruments to Govt. Organizations.
- B. Average Annual turnover of the bidder (who is not a manufacturer) in the last three financial years i.e. 2012-13, 2013-14 & 2014-15 from sales of Medical Equipments/Instruments shall not be less than Rs.25.00 Lakhs(Rupees Twenty Five Lakhs only).

- C. Manufacturer participating as bidder or manufacturer from whom the Medical Equipments/Instruments would be sourced by the dealer should have an average Annual Turnover of Rs.500 Lakhs(Rupees Five Hundred Lakhs only) in the last 3 financial years i.e. 2012-13, 2013-14 & 2014-15.
- D. Manufacturer should have ISO 13485:2003, ISO9001:2008, CEcertificate for quality standard for the items as specified in the Annexure XII.
- E. Bidder shall have experience in supply & installation of Medical Equipments/Instruments in the past 3 (three) financial years and value of a single order for such items awarded by Govt. Organization during this period should be at least **Rs.7.4 Lakhs**.
- F. Bidder should have experience & knowledge of modes of packing, distribution & transportation of such items under any weather conditions.
- G. Bidderwho has been blacklisted either by the Tender Inviting Authority or by any State Government or Central Government Organization will not be allowed to participate in the tender during the period of blacklisting.

5. GENERAL CONDITIONS.

- (I) The quantity of each item indicated in the bid document is tentative and subject to changedepending on actual requirement.
- (II)Tender documents may be obtained from the office of Tender Inviting Authority during office hours on payment of Rs 2000/-(non refundable) in the form of Demand Draft drawn in favour of " State **Health Society, Assam"** payable at Guwahati. The tender documents downloaded from may also be the official websitewww.nrhmassam.in.The bidder downloading the Tender document from the website will be required to deposit Rs2000/-(non refundable) in the form of Demand Draft drawn in favour of " State Health Society, Assam" payable at Guwahati while submitting the Tender. Tender without the fee of Rs2000/- will not be accepted.
- (III) All tenders must be accompanied by Earnest Money Deposit as specified in the relevant clause of the bid document.
- (IV) Tenders will be opened in the presence of bidders / authorized representatives who choose to attend on the specified date and time as stipulated in the bid document.
- (V) At any time prior to the date of submission of tender, the Tender Inviting Authority may, for any reason, whether on his own initiative or in response to a clarification requested by a prospective Bidder, modify the

tender document by an amendment. All prospective bidders who have received the tender document will be notified of the amendment and that will be binding on them. In order to provide reasonable time to take the amendment into account in preparing their bid, Tender Inviting Authority may at its discretion, extend the date and time for submission of tenders.

- (VI) Interested eligible bidders may obtain further information from the office of the Tender Inviting Authority.
- (VII) Price Preference/ Purchase Preference to PSUs / SSI Units shall not be applicable.
- (VIII) When a bidder specifies name of the manufacturers of different products in the format at Annexure VIII, all required documents of each manufacturer should invariably be furnished, failing which the bid would be summarily rejected.

6. TECHNO-COMMERCIAL BID - COVER "A"

The Bidder should furnish the following documents/charges in a separate cover hereinafter called "Cover A".

A. Court Fee Stamp/IPO and Tender Document Fee

Court fee stamp of Rs 8.25 (or IPO of Rs 10/- for bidders located outside the State of Assam). Tender document fee of Rs 2000.00 in the form of a Demand Draft in favour of "State Health Society, Assam" payable at Guwahati

B. Earnest Money Deposit (EMD)

Earnest Money Deposit amounting to Rs1.00Lakhs (Rupees TwoLakhs) only in the form of Demand Draft/Banker's Chequefavoring "State Health Society, Assam". Earnest Money Deposit will not earn any interest. The Earnest Money Deposit of the successful Bidder may, at the discretion of Tender Inviting Authority be adjusted towards the Security Deposit payable by the Bidder.

C. <u>Constitution of Company of Bidder:</u>

Documentary evidence regarding constitution of the company /concern such as Memorandum & Articles of Association, Partnership Deed etc. with details like Name, Address, Telephone Number, Fax Number, E-mail Address of the firm with names of the Managing Director / Partners / Proprietor.

D. Manufacturing License of Principal Manufacturer:

Attested photocopy of valid Manufacturing License duly issued by the Licensing Authority for the products quoted.

E. <u>IEC Certificate of Bidder:</u>

Attested copy of IEC Certificate, if the products are imported.

F. **Power of Attorney of Bidder:**

Attested copy of instruments such as Power of Attorney, Resolution of Board etc., authorizing an officer of the bidding firm to submit their bids. Such authorized officer should sign the bid documents.

G. **Undertaking of Bidder:**

Undertaking in the form at Annexure-I A and Annexure I B

H. Manufacturer's Authorization

Authorization letters from all the manufacturers concerned in the format at **Annexure -II**. Bids without authorization letters will be disqualified.

I. CE& ISOCertificates

- i) Attested copies of valid **CE** (only of manufacturers whose productshave been offered) for Medical Equipments and Instruments.
- ii) Attested copies of valid ISO 9001:2008 and ISO 13485:2003 certificates (of manufacturers whose products have been offered) for Medical Equipments and Instruments.

J. Annual Turnover

Annual turnover statement from sales of Medical Equipments/Instrumentsfor 3 years i.e. 2012-13, 2013-14& 2014-15 in the format given in **Annexure-III A and Annexure-III B** certified by the Auditor/Chartered Accountant. The certificate of Auditor/Chartered Accountant must be supported by attested copies of "Profit & Loss Statement" and "Balance sheet" of last three financial years.

K. Execution of similar contracts of Bidder:

Details of supplies MedicalEquipments& Instruments) made during the past 3 financial years with summary of Purchase Orders and Performance Certificates issued by clients in the specified format (Refer **Annexure IV**). Items supplied to Govt. institutions and to programs sponsored by WHO, UNICEF etc., if any, during the last 3 financial years should be highlighted. Copies of at leastthree orders including one single orderawarded by a Govt. Organization of value at least **Rs.7.4 Lakhs**executed during the last 3 financialyears should be submitted.

L. Sales Tax Clearance Certificate of Bidder:

Sales Tax Clearance certificate, as on 31st March of last financial year (as per format at **Annexure-V**). Sales Tax Clearance Certificate in any other approved format of the concerned state will also be considered.

M. <u>Undertaking for providing of logo of Bidder:</u>

Undertaking (as per **Annexure-VI**) for embossment of NHM Assam logo on all items.

N. Details of Manufacturing Unit of manufacturer

Details of Manufacturing Unit as per **Annexure-VII.**The details containing the name & address of the premises where the items are actually manufactured.

O. List of Items Quoted

The List of items quoted shall be furnished as per **Annexure –VIII.**The list shall specifically indicate manufacturer's name along with warranty period offered for each item.

P. <u>Undertaking on Fraud & Corruption of Bidder:</u>

Undertaking on fraud and corruption in the format at Annexure-IX

Q. Agreed Terms & Conditions of Bidder:

Agreed Terms & Conditions as per **Annexure X.**

R. Signature & Seal on each page

The tender document signed by the Bidder in all pages with office seal.

S. Checklist of documents

A Checklist (Annexure-XI) for the list of documents enclosed with their page number. The documents should be serially arranged as per this Annexure-XI and should be securely tied or bound.

T. <u>Technical SpecificationCum ComplianceSheet:</u>

Technical Specification Cum ComplianceSheet as per Annexure XII.

The above documents should be sealed in a separate cover super scribed as "TECHNICAL BID, COVER "A" (TENDER FOR SUPPLY OF MEDICAL EQUIPMENTS & INSTRUMENTS DUE ON21/03/2016)" and addressed to the Mission Director, National Health Mission, Assam. Saikia Commercial Complex, Shrinagar Path, Christian Basti, G S Road, Guwahati-781005

1. PRICE BID - COVER"B"

Cover "B" shall contain the Price Bid in the format at Annexure XIIIof the Tender.

A. Signature & Seal on each Page

Each page of the Price Bid should be duly signed by the Bidder affixing the office seal.

B. Signature on corrections

Bid should be typewritten and every correction in the bid should be attested with full signature by the Bidder, failing which the bid will be ineligible. Corrections done with correction fluid should also be duly attested.

C. Landed Cost

The rate quoted per unit or landed price in **Annexure-XIII** shall be inclusive of excise duty, sales tax, packaging charge, freight, Insurance etc. The component of VAT/Sales Tax should also be shown separately.

D. Unit Size/Rate

The rate quoted in **Annexure-XIII**should be for a unit and given specification. The Bidder is not permitted to change / alter specification or unit size given in the **Annexure-XII**.

The above documents should be sealed in a separate cover superscribed as "PRICE BID, COVER "B" (TENDER FOR SUPPLY OF MEDICAL EQUIPMENTS & INSTRUMENTS DUE ON 21/03/2016)" and addressed to the Mission Director, National Health Mission, Assam. Saikia Commercial Complex, Srinagar Path, Christian Basti, G S Road, Guwahati-781005

The two separately sealed covers {Technical bid (Cover "A") and Price Bid (Cover "B")} shall be placed together inside another cover which shall be sealed and superscribed as "TENDER FOR SUPPLY OF MEDICAL EQUIPMENTS & INSTRUMENTS DUE ON 21/03/2016" and addressed to the Mission Director, National Health Mission, Assam. Saikia Commercial Complex, Shrinagar Path, G S Road, Guwahati-781005

8. **OPENING OF COVER "A" AND COVER "B" OF TENDER**

- A. All bidders are entitled to be present at the date and time of opening of Technical Bid Cover "A".
- B. Only those bidders whose Technical Bids are found to be acceptable after technical and commercial evaluation will be invited to be present at the date and time of opening of Price Bid Cover "B" of the tender. The price bids of tenderers not found technically qualified shall not be opened.

9. VALIDITY OF BID:

Bids shall remain valid for acceptance for a period of 150 days after opening of Technical Bid i.e. Cover 'A'. Bids with shorter validity shall be rejected. Purchaser may solicit biddersconsent to an extension of validity period. A bidder may refuse extension request withoutforfeiting the EMD.

10. VALIDITY OF OFFER OF SUCCESSFUL BIDDER:

The validity of offer of the successful bidder shall be 01(one) year from the date of finalization of the order and the successful bidder will be bound to supply the items at agreed rates and terms during this period.

11. OTHER CONDITIONS

A. Item Details & Quantity

Specifications & Details of Items are shown in **Annexure-XII.** The quantity mentioned in Annexure VIII is only the tentative requirement and may increase or decrease as per requirement of Tender Inviting Authority. The rates quoted should not vary with the quantum of the order or the destination.

B. Firm Rates

Firm Rates (inclusive of Excise Duty, Sales Tax, transportation, insurance, PACKAGING/INSTALLATION & TRAINING CHARGES AT SITE and any incidental charges) should be quoted for each of the required Medicalitems on door delivery basis according to the units ordered. Tender for supply of Medicalitems with conditional/variable rates shall not be accepted. Handling, clearing, transport charges etc., will not be paid separately. The delivery should be made as stipulated in the purchase order placed with the successful bidders. The rates quoted and accepted will be binding on the Bidder for the stipulated period and any increase in the price will not be entertained till completion of the tender period.

C. Unit Rate & Total Value

Each bid must contain not only the unit rate but also the total value of each item quoted for supply in the respective columns. The aggregate value of all the items quoted in the tender shall also be furnished.

D. Controlled Price/MRP

The price quoted by the bidders shall not, in any case, exceed the controlled price, if any, fixed by the Government and the Maximum Retail Price (MRP). During the period of contract with the successful bidder, if the price of any item is reduced due to any reason including any Law or Act of the Central/State Government, the bidder shall be statutorily bound to intimate the reduced rates immediately to the Tender Inviting Authority and shall charge the reduced rates. The Tender Inviting Authority is empowered to unilaterally effect such reduction as is necessary in rates, in case the bidder fails to notify or fail to agree to such reduction in rates.

E. No Revision/Correction of Rates

No Bidder shall be allowed at any time on any ground whatsoever to claim revision or modification in the rates quoted by him. Representation to make correction in the tender documents on the ground of clerical error, typographical error, etc., committed by the

bidders in the Bids shall not be entertained after submission of the bids.

F. Firm Delivery Schedule

Firm delivery schedule shall be mentioned in the bid. Cross conditions such as "SUBJECT TO AVAILABILITY" "SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED" etc., will not be considered under any circumstances and the tenders of those who have given such conditions shall be treated as incomplete and will be summarily rejected.

G. Execution of Order

Unless otherwise specified, supplies should be made directly by the successful bidder and not through any other agency.

H. Inspection

Tender Inviting Authority or his authorized representative has the right to inspect the factories of bidders, at any point of time and also has the right to reject the tender or terminate / cancel the orders, based on adverse reports brought out during such inspections. The Bidder shall extend all facilities to the team to enable them to inspect the manufacturing process, quality control measures adopted etc., in the manufacture of the items quoted/ordered.

12. ACCEPTANCE OF TENDER

A. Tender Evaluation

Tenders will be evaluated with reference to technical and commercial parameters to determine the technically qualified bidders.

Price Bids of technically qualified bidders will be evaluated with reference to the quoted rates(landed price of each item). Conditional discounts shall not be taken into account for price comparison.

B.Right to Reject Tender

Tender Inviting Authority reserves the right to accept the tender or to reject the whole tender for the supply of all items of MedicalEquipments & Instrumentstendered at any point of time without assigning any reason.

C. Tender Acceptance

The acceptance of the tenders will be communicated to the successful bidders in writing.

13. AGREEMENT

The successful Bidder shall execute an agreement in the form at **Annexure XIV**on a non-judicial stamp paper of value of Rs.100/- (stamp duty to be paid by the Bidder) within 10 days from the date of the intimation from Tender Inviting Authority informing that his tender has been accepted.

14. NON ASSIGNMENT

The Bidder shall not, at any time, assign, sub-let or make over the contract or the benefit thereof or any part thereof to any person or persons, whatsoever.

15. COMMUNICATION

All notices or communications relating to or arising out of an agreement or any of the terms thereof shall be considered duly served on or given to the Bidder if delivered to him or left at his premises, places of business or abode.

16. SECURITY DEPOSIT

The successful bidder, within 10 days of signing of the agreement, shall be required to submit Security Deposit of 5 % of the order value in the form of bank guarantee from any Indian scheduled bank in favour of "State Health Society, Assam" valid for 12 months. However, if the supplier fails to execute the order or fails to perform the services as per agreement, in addition to other penal actions, the bank guarantee shall be encashed and the amount will be forfeited.

17. SUPPLY & SERVICE CONDITIONS

A. Purchase Order

Purchase order will be placed on the successful Bidder at the discretion of the Tender Inviting Authority.

B. **Specifications & Quality**

The items supplied by the successful Bidder shall be of the best quality and shall comply with the specifications, stipulations and conditions

C. Warranty Provisions

The successful bidder (Supplier)warrants that the goods supplied under the contract/purchase order are new, unused, or the most recent of current models and incorporate all recent improvements in design and materials unless provided otherwise in the contract. The Supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials or workmanship or from any act or omission of the supplier that may develop under normal use of the supplied goods.

- i. The warranty shall be valid for the period mentioned in the Technical Specification.
- ii. Up-gradation of all software shall be done free of cost during the warranty period.
- iii. The warranty should be as per the period mentioned in the Technical Specification.
- iv. The Tender Inviting Authority (Purchaser) shall notify the supplier in writing of any claims arising under this warranty.
- v. Upon receipt of such notice, the supplier shall, with all reasonable speed, repair or replace the defective goods or parts thereof, free of cost at the ultimate destination. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter.
- vi. If the Supplier, having been notified, fails to remedy the defect(s) within a reasonable period, the Purchaser may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the contract.
- vii. The warranty for defective parts will begin de novo from the date of replacement. Supplier will pay taxes/duties and all expenses up to the destination for the replaced part.
- viii. During the warranty period, the desired uptime of 95% of 365 days on a 24 hours basis shall be ensured.

D. **Delivery Period**

The supply should commence within 45 (forty five) days from the date of order and should be completed within 90(days) maximum, unless otherwise specified in the order.

E. Delivery Point/Destination

The itemsshall be delivered at the District Drug Ware Housesor Health Institutions in different districts of Assam as per the list furnished along with the order or according to instructions given separately with reference to the order.

F. Penalty for Delayed Delivery

- (i) In case there is delay in delivery beyond the stipulated period as mentioned in the purchase order, there shall be reduction in price
 @ 0.5% of the value of delayed goods per week of delay or part thereof subject to a maximum of 10% of the total order value.
- (ii)Once the maximum price reduction is reached, termination of the contract may be considered. Non-performance of the contract provisions shall make the successful bidder liable to be disqualified to participate in any tender for the next 5 years, in addition to forfeiture of Security Deposit and other penal actions.

G. Alternative Purchase

If the successful Bidder fails to execute the order within the stipulated time, the Tender Inviting Authority will be at liberty to make alternative arrangements for purchase of the items, from any other source or from the open market, at the risk and cost of the supplier. This would be in addition to any other penalties including forfeiture of security deposit.

H. Shortage and Damage

It shall be the responsibility of the successful Bidder for any shortages/damages at the time of receipt in Warehouse/Institution. Tender Inviting Authority is not responsible for the items received, for which no order is placed.

18. FORCE MAJUERE

The above conditions of delivery period, price reduction etc. are subject to force majeure conditions which are beyond the control of the supplier, do not involve fault or negligence of the supplier and are not anticipated. Such events may include but are not limited to riots, mutinies, war, fire, storm, tempest, flood, earthquakes, epidemics, or other exceptional causes like quarantine restrictions, freight embargoes. On specific request made by the bidder the time period of supply may be extended by the purchaser at his discretion for such period as may be considered reasonable. However, the condition shall

not include scarcity of raw materials, power cut, labour dispute, failure of sub-vendor and increase in cost of raw material.

19. FRAUD & CORRUPTION:

The bidders, suppliers & contractors shall observe the highest standard of ethics during bidding and during performance of the contract. For the purposes of this provision, the following acts shall be considered as corrupt and / or fraudulent practices -

- 1. "Corrupt Practice" means offering, giving, receiving, or soliciting directly or indirectly, of anything of value to influence the action of an official in the procurement process or in contract execution.
- 2. "Fraudulent Practice" means misrepresentation or omission of facts in execution of contract.
- 3. "Collusive practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the purchaser, designed to establish bid prices at artificial, noncompetitive level.
- 4. "Coercive Practice" means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in a procurement process or in execution of a contract.

During the process of evaluation of a bid or proposal for award of a contract, if it is detected that a bidder directly or through agent has engaged in corrupt, fraudulent, collusive or coercive practice in competing for the contract in question, then a) the bid shall be rejected and b) declare the firm ineligible for a specific period or indefinitely to participate in a bidding process. However, if any such practice is detected at any subsequent stage or during execution of the contract, the Tender Inviting Authority will exercise the right to cancel the contract and make suitable alternative arrangement at the risk and cost of such offending bidder.

20. LOCAL CONDITIONS:

It will be imperative on each bidder to fully acquaint himself of all local conditions and factors that would have any effect on performance of the Contract. The Tender Inviting Authority shall not entertain any request for clarifications from the bidder regarding such local conditions nor shall accept any offer conditional to the local factors. No request for any change of price or extension of time schedule of delivery of goods shall be entertained after acceptance of bids.

21. LOGOGRAMS

- A. Tenders for the supply MedicalEquipments and Instruments, shall be considered only if the Bidder gives undertaking in his tender that the items will be supplied with the logogram either printed or embossed or affixed as specified.
- B. Failure to supply Medical Equipments and Instruments, without the logogram will be treated as breach of the terms of agreement.

22. PACKING

- A. Packing should be sound and be able to prevent damage or deterioration during transit.
- B. In the event theitems supplied are found to be damaged or defective the Tender Inviting Authority will be at liberty to make alternative purchase of the items for which the Purchase orders have been placed from any other source or from the open market at the risk and the cost of the supplier.

24. PAYMENT PROVISIONS

Payments towards the supply of itemswill be made strictly as per rules of the Tender Inviting Authority. Full payment will be released only after completion of supply/installation of entire ordered quantities.

- A. On completion of supply of supplied quantities, invoices with challans along with installation reports (certified by the Head of the Health Institution) and warranty certificates should be submitted in triplicate, addressed to the Tender Inviting Authority.
- B. If at any time during the period of contract, the price of tendered items is reduced or brought down by any law or Act of the Central or State Government or by the Bidder himself, the Bidder shall be bound to inform Tender Inviting Authority immediately about such reduction in the contracted prices. Tender Inviting Authority is empowered to unilaterally effect such reduction as is necessary in rates in case the Bidder fails to notify or fails to agree to such reduction in rates.
- C. In case of any enhancement in Excise duty/ Tax due to notification of the Government after the date of submission of tenders and during the validity period of contract, the quantum of additional excise duty so levied will be allowed to be charged extra as a separate item without any change in price structure of the items approved under the tender. For claiming the additional cost on account of the increase in excise duty, the bidder should produce a letter from the concerned Excise Authority for having paid additional Excise Duty on the goods supplied to Tender Inviting Authority and also must claim the same in the invoice separately.

- D. Tender Inviting Authority has every right to receive supply even after expiry of contractual delivery date and in such case; price reduction as specified under Clause No. 17 F will be applicable.
- E. If the supply is received in damaged condition it shall not be accepted. In case of damage in the packing, the supply will be accepted only after levying penalty as decided by the Tender Inviting Authority on the total value of supply to that particular warehouse/institution.

25. <u>ANNULMENT OF AWARD, FORFEITURE OF SECURITY DEPOSIT & FRESH</u> <u>AWARD</u>

Failure of the successful bidder to comply with the requirements of signing of agreement and / or submission of performance security within the time schedule as stipulated above shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security/EMD. Under such a situation, the proposal may be reviewed for award of the contract on the next lowest evaluated technically qualified bidder or go for a fresh bid depending on the circumstance. In case it is decided to go for the next lowest bidder, negotiation may be considered to bring down their price nearer to the originally evaluated lowest bidder.

26. NON CONFORMANCE, TERMINATION& PENALTIES

- A. If the items do not conform to specifications, the same shall be taken back by the supplier at the supplier's cost within a period of 30 days of the receipt of the letter/notice from the Tender Inviting Authority. If the supplier fails to take back the items within the stipulated time, the Tender Inviting Authority will have the right to dispose-off such ITEMS NOT CONFORMING TO SPECIFICATIONS. Tender Inviting Authority may also levystorage charge calculated at the rate of 2% per week on the value of the item rejected till such disposal. The decision of the Tender Inviting Authority or any officer authorized by him on the quality of the items supplied shall be final and binding.
- B. In case of supply of inferior products or products not conforming to specifications, the Tender Inviting Authority will be at liberty to terminate without assigning any reasons thereof the contract either wholly or in part on 30 days notice. The supplier will not be entitled for any compensation whatsoever in respect of such termination.
- C. For infringement of the stipulations of the contract or for other justifiable reasons, the contract may be terminated by the Tender Inviting Authority, and the supplier shall be liable for all losses

sustained by the Tender Inviting Authority, in consequence of the termination which may be recovered personally from the supplier or from his properties, as per rules.

- D. Non performance of any of the contract provisions will disqualify a firm to participate in tenders issued by the Tender Inviting Authority for the next five years.
- E. In the event of making ALTERNATIVE PURCAHSE, the supplier will be imposed penalty apart from forfeiture of Security Deposit. The excess expenditure over and above contracted prices incurred by the Tender Inviting Authority in making such purchases from any other source or from the open market shall be recovered from the Security Deposit or from any other money due to the supplier and in the event of such amount being insufficient, the balance will be recovered personally from the supplier or from his properties, as per rules.
- F. In all the above conditions, the decision of the Tender Inviting Authority shall be final and binding.

27. ARBITRATION

Any dispute whatsoever in any way arising out of or relating to the contract shall be referred to arbitration of the Mission Director, National Health Mission, Assam or to the sole arbitration of some person nominated by him. There shall be no objection if the arbitrator so appointed happens to be an employee of National Health Mission, Assam. The award of the arbitrator shall be final, conclusive and binding on all parties.

28. SAVING CLAUSE

No suit, prosecution or any legal proceedings shall lie against Tender Inviting Authority or any person for anything that is done in good faith or intended to be done in pursuance of tender.

29. LAWS GOVERNING THE CONTRACT & JURISDICTION

The contract shall be governed by the laws in force in India. In the event of any dispute arising out of the tender such dispute would be subject to the jurisdiction of the Court within the State of Assam only.

ANNEXURE I A UNDERTAKING (by the Bidder)

To

	Mission Director,
	National Health Mission, Assam
	Tender No
	For supply of
	Sir,
1.	I, Shri, on behalf of M/s
	registered office at, do hereby declare that I have gone through the terms and conditions mentioned for the above and undertake to comply with all tender terms and conditions. The rates quoted by me/us are valid and binding on me/us for acceptance for a period of one year from the date of award of contract to us.
2.	I/We undersigned hereby bind myself/ourselves to the Office of
3.	The articles shall be strictly as per specification and of the best quality as per requirement of the institution. The decision of the Office of
	regards to the quality and specification of article shall be final and binding on me/us.
	a) Authorization from Manufacturer:- We shall furnish authorization from the manufacturer legally enforceable undertaking to the Purchaser in appropriate format obligations valid for a periodyears from the date of supplied equipment.
4.	We agree to the conditions of the tender under which the EARNEST MONEY DEPOSIT and PERFORMANCE SECURITY DEPOSIT shall be forfeited by us.
5.	We hereby undertake to pay the penalty as per the terms and conditions
	of the contract for delayed supply of the ordered items.
6.	We agree to accept the amount of the bill to be paid by the purchaser after completion of all formalities and should any amount of the bill found by the purchaser/auditors to have been over-paid; the amount so found shall be refunded by me/us.

7. We hereby undertake to supply the items during the validity of the tender as per direction given in supply order within the stipulated period.

- 8. The tender inviting authority has the right to accept or reject any or all the tenders without assigning any reason.
- 9. We understand all the terms and conditions of the contract and bind myself/ourselves to abide by them.
- 10. We hereby declare that there is no vigilance/CBI or court case pending/contemplated against us at the moment.

SIGNATURE : NAME & DESIGNATION : DATE :

NAME & ADDRESS OF THE FIRM

ANNEXURE I B

UNDERTAKING

(To be submitted by the Bidder as well as Manufacturer)

То	
Mission Director,	
National Health Mission, A	ssam
Tender No	
For supply of	
presently we do not stand blorganization or debarred from pa	do hereby declare that lacklisted by any Central or State Government articipating in tenders of such organization and are ipate in NHM Tender No
SIGNATURE	:
NAME & DESIGNATION	:
DATE	:
NAME & ADDRESS OF THE FIRM	:

ANNEXURE -II MANUFACTURER'S AUTHORIZATION FORM (issued by the Manufacturer)

Tender No. :		Dated:
То,		
Mission Director National Health Mission, Assam		
Respected Sir,		
Wewhohaving	are established and factories	reputable manufacturers of at registered office
atpossessing	_	License NoValid up to
harah		(name and
address of representative and fi sign the contract with you aga items quoted. 1. 2.		· · · · · ·
We hereby certify that the Mareconditioned parts or compone		o not contain any recycled or
We hereby extend our full guars goods offered for supply against	•	•
(Attach Separate sheet if necess	ary)	
SIGNATURE NAME & DESIGNATION DATE NAME & ADDRESS OF THE FIRM	: : :	
INVINE & WODDESS OF THE LIKIN	•	

ANNEXURE-III A ANNUAL TURNOVER STATEMENT OF THE BIDDER

	Т	he A	nnual ⁻	Turnover	of M/s						
for	the	last	three	financial	years	from	the	sales	of Medical	Equipments	and
Inst	Instruments are given below and certified that the statement are true and correct.										

SI No.		Year	Turnov	er in Lakhs				
1.		2012-13	2012-13					
2.		2013-14	2013-14					
3.		2014-15						
		Total	- Rs	Lakhs				
	Avg	Rs	Lakhs					

Date : Signature of Auditor / Chartered Accountant (Name in Capital Letters)

Seal :

ANNEXURE-III B ANNUAL TURNOVER STATEMENT OF THE MANUFACTURER

	Т	he A	nnual ⁻	Turnover	of M/s						
for	the	last	three	financial	years	from	the	sales	ofMedical	Equipments	and
Inst	Instrumentsare given below and certified that the statement are true and correct.										

	SI No.		Year		Turno	ver in Lakhs
	1.		2012-13			
	2.		2013-14			
	3.		2014-15			
			Total	-	Rs	Lakhs
Avg.	- Rs		Lakhs			

Date : Seal Signature of Auditor / Chartered Accountant (Name in Capital Letters)

ANNEXURE-IV Performance Statement (of the Bidder)

Tender No:

SI.	Name of the product (only for Equipments, Instruments)	Year	Qty supplied	Value	Name and full address of the purchaser
	1	2	3	4	5
1.					
2.					
3.					
4.					
5.					
6.					
7.					
8.					
9.					
10.					

(Please use additional sheets if required)

SIGNATURE :
NAME & DESIGNATION :
DATE :
NAME & ADDRESS OF THE FIRM :

ANNEXURE-V

CERTIFICATE OF SALE TAX VERIFICATION TO BE PRODUCED BY AN APPLICANT

(To be filled by the applicant)

iii Particulars Total	. 2014-1		Total T	ax Balar	nce Due Rs.	Reasons for balance Rs.
iii Particulars	. 2014-15 of Sales T	5 ax for the prece		•	ice Due	Reasons for
iii	. 2014-1	5	ding three y	years.		
11	0_0 _	•				
::	. 2013-14	4				
i	. 2012-13	3				
. Total contra	act amoun	t in the precedir	ng three yea	ırs.		
·			•			
•		divisions in whi ss should be furi	• •	icant is asses	ssea to Sa	aies i ax
						-1 T
. Places of	business	of the applica	int (All pla	ices of busi	ness sho	ould be
, pacity			••••••		• • • • • • • • • • • • • • • • • • • •	
					_	,
		•	in his	individual		iduciarv
		all companies, f				
•						
	•	•	, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,	,	me or style in which the applicant is assessed or assessable to Sa dresses or assessment

- **c.** If there has been no assessment in any year, whether returns were submitted any, if there were, the division in which the returns were sent.
- **d.** Whether any penal action or proceeding for the recovery of Sales Tax is pending
- **e.** The name and address of Branches if any:

I declare that the above mentioned information is correct and complete to the best of my knowledge and belief.

SIGNATURE :
NAME & DESIGNATION :
DATE :
NAME & ADDRESS OF THE FIRM :

2014-15

Enclosure of ANNEXURE-V (To be issued by the Sales Tax Assessing Authority)

In my opinion, the applicant M/s...... has been / has not been / doing everything possible to pay the Tax demands promptly and regularly and to facilitate the completion of pending proceedings.

Date Seal : Deputy / Asst. Commercial Tax Officer

Note : Separate certificates should be obtained in respect of each of

the place of business of the applicant from the Deputy Commercial Tax officer or Assistant Commercial Tax Officer

having jurisdiction over that place.

ANNEXURE-VI

Tender No:

UNDERTAKING FOR EMBOSSMENT OF LOGO

SIGNATURE

NAME & DESIGNATION

DATE

NAME & ADDRESS OF THE FIRM



NHM ASSAM SUPPLY

LOGOGRAM

ANNEXURE – VII

Declaration on Manufacturing Facilities by the Manufacturer

Tende	r No	
For su	pply of	
1.	Name of the manufacturer :	
2.	Full Postal Address :	
3.	Telephone No. /Fax No.	:
4.	Email address :	
5.	Date of inception of business :	
6.	Registration no. & Date	:
7.	Issued by :	
8.	Valid till :	
9.	Details of manufacturing activity : & item wise capacity	
12.	Name of Govt. Departments/ Pvt. Institutions	: As per enclosure
	to which the bidder already supplied the item with quantity value and supply period	ns
18.	Has the bidder ever been black listed by any govt. agency? If yes, give details.	:
14.	Are any cases pending in the court related to any supplies? If yes, give details	:
15.	Does the firm have the adequate facilities for Inspection and quality control?	:
l,	Please give details	Prop./partner/Director of M/s

Hereby declare that the information given in this form is true and correct to the best of my knowledge & belief.

I/we agree to the tender Inviting Authority forfeiting the Earnest Money Deposit

and/or Performance Security Deposit and blacklisting us for a period of 5 years, if any information furnished by us is proved to be false at the time of inspection and non – compliance with terms and conditions of the contract

I offer to supply the items mentioned in the schedule (enclosed in price bid) at the rates quoted therein. I agree to hold this offer for one year after finalization of rate contract.

SIGNATURE :

NAME & DESIGNATION :

DATE :

NAME & ADDRESS OF THE MANUFACTURER:

★ The details of manufacturing unit shall be for the premises where items quoted are actually manufactured.

List of items quoted

Tender No._____

Sr. No	Description of Items	Quantity	Manufacturer 's Name	Warranty Period in	Price Quoted/	Technical Specifications
				Years	Not Quoted	Attached/Not Attached
1	Mobile X-Ray	1				
2	Billirubinometer	1				
3	Stop Watch	31000				
4	LED Phototherapy	12				
5	Laryngoscopes	6				
6	Ambu Bag(250 ml with mask)	2				
7	Ambu Bag(500 ml with mask)	4				
8	Suction Pump(portable)	2				
9	Oxygen Hood	6				
10	Electronic Sphygmomanometer (Neonatal)	2				
11	MUAC Tape	100000				
12	Field Type OT Table	54				
13	PPIUCD Forceps	500				
14	Compact Hysteroscope	2				

SIGNATURE :
NAME & DESIGNATION :
DATE :
NAME & ADDRESS OF THE FIRM :

ANNEXURE IX

UNDERTAKING ON FRAUD & CORRUPTION (for bidder)

We			do hei	eby undert	ake that	, in compet	ing for (and,	, if the	award is		
made	to	us,	in	executing)	the	subject	contract	for	supply		
of Medic	of MedicalEquipments&Instruments under tender reference no										
			we	shall stric	tly obse	rve the ter	ms and con	ditions	against		
fraud and	d corru	ption	in forc	e in the cou	ıntry.						
SIGNATU	RE			:							
NAME &	DESIG	NATIC	N	:							
DATE				:							
NAME &	ADDR	ESS OI	F THE F	IRM :							

ANNEXURE – X NATIONAL HEALTH MISSION, ASSAM

AGREED TERMS & CONDITIONS

		Tender No. & Date
1.	Details of Bidder	
	Bidder Name: Offer Ref:	Contact Person:
	Telephone No:	Signature:
	Fax No:	E-mail:

2. Definitions

- 1. "Purchaser" means the Mission Director, National Rural Health Mission, Assam or his authorized representative.
- 2. "Bidder" means a person or firm or company who has made an offer for supply of goods and /or service as per tender.
- 3. "Vendor" or "Supplier" means a person or firm or company, to whom the order is addressed for supply of goods and /or services.
- 4. "Site" means the premises of the purchaser or any other place as decided by the Purchaser.

NOTE: The questionnaire below must be duly filled in and should be enclosed with un-priced Technical Bid, (Cover A). Clauses confirmed here under should not be repeated. All commercial terms and conditions should be indicated in this format. If necessary, details including deviations to the terms and conditions of the bid document, if any, should be enclosed as annexure to this questionnaire.

SI. No.	Description	Vendor's Confirmation (Confirmed/Noted/Deviation
		furnished separately)
	C. Technical	
1.	Confirm that you meet the eligibility criteria as per	
	bid document and have furnished relevant	
	documents.	
2.	Confirm acceptance of Technical Specification and	
	scope of supply as per Tender Document.	
3.	In case of deviations, confirm that the same have	
	been highlighted separately.	
4.	Confirm that literature and technical data,	
	wherever applicable, have been enclosed.	
5.	Confirm that all certificates/ documents furnished.	
6.	Confirm that Earnest Money Deposit (EMD) as per	
	bid document has been furnished in Cover A	

	D. Commercial	
1.	It is noted that any deviations to the commercial	
	terms and conditions shall lead to loading of prices	
	or rejection of offer.	
2.	Confirm that the quoted landed price is inclusive of	
	cost of containers, packing & forwarding charges,	
	freight, insurance and all duties and taxes viz.	
	Excise Duty, Sales Tax/VAT.	
3.	Confirm furnishing of price break-up of each item	
	showing basic price of item and Tax/VAT on %age	
	of basic price to arrive at landed price in D2 above.	
4.	It is noted that the statutory variations in taxes and	
	duties within the contractual delivery period shall	
	be borne by the purchaser.	
5.	If there is any variation or fresh imposition of	
	Excise Duty at the time of supply due to various	
	reasons, including turn-over, confirm that the	
	same shall be borne by supplier.	
6.	If clause 5 above is not acceptable, advice	
	maximum possible rate of additional ED	
	chargeable; this shall be loaded to your price.	
7.	Confirm that in case any new or additional duties	
	and taxes are imposed after the contractual	
	delivery date due to delays attributable to the	
	supplier the same shall be borne by the supplier.	
	This will be in addition to Price Reduction for Delay	
	in Delivery.	
8.	Confirm acceptance of Price Reduction Schedule	
	for delay in delivery @ 0.5% of delayed value of	
	goods per week of delay or part thereof subject to	
	maximum of 10% of the total order value.	
9.	Confirm acceptance of Delivery Period as indicated	
10	under clause 17 (D) of the bid document.	
10.	Confirm acceptance of relevant payment terms	
11	specified in the bid document. It is noted that delivery period, price reduction,	
11.	termination etc are subject to Force Majeure	
	Condition as stipulated in the bid document.	
12.	Confirm that the quoted prices are in Indian	
12.	Rupees and shall remain firm & fixed till complete	
	execution of the order.	
13.	a) In case you are a manufacturer confirm that the	
10.	prices quoted are not higher in any respect than	
	MRP	
	b) In case you are a dealer/ distributor / authorized	
	agent, confirm that the prices quoted are as per	
	- O, prices quoted die do per	

	manufacturer's price list with appropriate discount.	
14.	Packing / forwarding, transportation, loading/unloading and insurance are supplier's responsibility. However, to protect the items from physical damages and/or deterioration due to weather during transit, supplier to ensure proper packing & handling arrangement. Please confirm compliance.	
15.	Confirm that security deposit of 5 % of the total order value in the form of a Bank Guarantee from a nationalized Bank shall be furnished, which will be valid for a period of 12 months from the date of order.	
16.	 a) Confirm that all inspection & testing charges including 3rd party inspection (if required) included in the price. b) Quality Control Reports and Test Certificates, whenever applicable, shall be handed over to the purchaser along with the equipment. 	
17.	 a) Confirm that erection, commissioning, trial run and handing over to the purchaser, after successful commissioning is your responsibility at no extra cost. b) Specify facilities (if any), like water supply/ electric power to be provided by the purchaser for commissioning of the equipment. 	
18.	Packing / forwarding, transportation, loading/unloading and insurance are your responsibility. However, to protect the equipment from physical damages and/or deterioration due to weather during transit, you are to ensure proper packing & lifting arrangement. Pl confirm compliance.	
19. 20.	The material / equipment shall be guaranteed against any and all defects in design, workmanship, material & performance for a period shown in the Technical specification, from the date of commissioning and handing over to the purchaser. Should any defect detected or develop during the guarantee period, it shall be remedied promptly free of cost by the supplier and all expenses including transportation of goods necessitated for such repair and replacement shall be done by the supplier. Pl confirm acceptance. Confirm acceptance of Repeat order within 12	
20.	commin acceptance of Repeat order within 12	

months from the date of initial order at same price	
and terms & conditions.	
In case of material having shelf life, confirm that	NA
you have declared the same with the expiry date.	
Also confirm that such materials shall be	
dispatched within 30 days from the date	
manufacture.	
It is noted that the purchaser would disown any	
responsibility / liability towards irregularity,	
contravention or infringement of any statutory	
regulations including those of patent, on	
manufacture or supply of goods covered by the	
order.	
Terms & Conditions indicated in this format shall	
not be repeated in the bid. Terms & Conditions	
indicated elsewhere and contradicting those in this	
format shall be ignored. Confirm compliance.	
Confirm that you shall observe the highest	
standard of ethics during bidding and in case	
favoured with an order, the execution of the order	
will be completed, without resorting to any fraud,	
corruption and/or coercion.	
Confirm that the offer shall be valid for a period of	
150 days from the date of bid opening.	
	and terms & conditions. In case of material having shelf life, confirm that you have declared the same with the expiry date. Also confirm that such materials shall be dispatched within 30 days from the date manufacture. It is noted that the purchaser would disown any responsibility / liability towards irregularity, contravention or infringement of any statutory regulations including those of patent, on manufacture or supply of goods covered by the order. Terms & Conditions indicated in this format shall not be repeated in the bid. Terms & Conditions indicated elsewhere and contradicting those in this format shall be ignored. Confirm compliance. Confirm that you shall observe the highest standard of ethics during bidding and in case favoured with an order, the execution of the order will be completed, without resorting to any fraud, corruption and/or coercion. Confirm that the offer shall be valid for a period of

SIGNATURE& DATE

NAME & DESIGNATION

:

NAME & ADDRESS OF THE FIRM :

CHECK LIST

SI.	Cover A	Yes	No	Page No
1.	Court Fee Stamp/IPO & Tender Document Fee			
	furnished			
2.	EMD in the form of DD furnished			
3.	Documentary evidence for the Constitution of			
	the company			
4.	Duly attested / notarized copy of			
	Manufacturing License issued by the competent			
	Licensing Authority for the products quoted			
5.	Attested Photocopy of Import license if any			
6.	The instruments such as Power of Attorney,			
	Resolution of Board etc.			
7.	Undertaking as per Annexure I A and I B			
8.	Manufacturer's Authorization as per Annexure			
	II			
9.	Attested copy of ISO 9001:2008, ISO 13485:2003,			
	CEcertificates for Medical Equipments &			
	Instruments as applicable.			
10.	Annual Turnover Statement for 3 years			
	(Annexure – III A & Annexure –III B)			
11.	Performance Statement as per Annexure IV and			
	copy of single value order			
12.	Sales Tax Clearance Certificate as Annexure V			
13.	Undertaking for Embossment of logo as per			
	Annexure VI			
14.	Details of Manufacturing Unit as per Annexure			
	VII			
15.	List of items quoted with name of Manufacturer			
	as per Annexure VIII			
16.	Undertaking on Fraud & Corruption as per			
	Annexure IX			
17.	Agreed Terms & Conditions as per Annexure- X			
18.	Technical Cum Compliance Specification Sheet			
	as per Annexure XII			
19.	Check List as per Annexure XI			
SI	Cover B	Yes	No	
1.	Price Bid as per Annexure XIII			

ANNEXURE XII

Technical cum ComplianceSpecification Sheet: (TO BE SUBMITTED BY THE MANUFACTURER)

Sl.No		Tender Specification	Technical	Deviation (if
			Specification quoted by the bidder	any)
1.	Mobile	60mA X-Ray Machine	,	
	X-RAY G	ENERATOR		
	i.	Type: High frequency 2.5 KW		
	ii.	Max KV : 100		
	iii.	Max mA : 60		
	X-RAY T	UBE		
	i.	Type: Stationary anode		
	ii.	Focal spot: 1.4 x 1.4 mm		
	RADIOG	RAPHY		
	i.	KV range : 40 – 100		
	ii.	mA range : 20 to 60		
	CONTRO	DL PANEL		
	i.	Digital display of all radiographic		
		parameters		
	ii.	Electronic timer with range of		
		0.02 to 5 sec /		
	iii.	Automatic tube over load		
		protection.		
	MECHAI	NICAL SPECIFICATIONS		
	i.	Counter balanced		
	ii.	Articulated tube arm		
	iii.	Easy to move and handle		
	iv.	Light beam diaphragm		
		collimator.		
	v.	Extendable hand switch with		
		cable for x-ray exposure.		
	vi.	Integrated cassette box		
	FEATUR	ES		
	i. The qu	uoted model and tube should be		
		pe approved for usage up to 60mA.		
		t copies of the certificate should be		
		d with the bid.		
	casters.	d be mounted on heavy duty		
		ARD ACCESSORIES		
	i.	Light weight lead apron 0.5mm		
	"	lead equivalence with thyroid		
		guard – 1no.		
	ii.	Light weight latest model		
	11.	•		
		cassettes with high speed screen		
		15x12 –1 no, 12x10 –1 no, 10x8		

	T		
		– 1 no.	
	iii.	Channel type hanger each size 3	
		nos.	
	iv.	Lead markers R, L, 0-9 and A-Z	
		each 2 sets.	
	V.	Cassette storage box.	
	POWER S	SUPPLY REQUIREMENTS	
	i.	230Vac, Single phase, 50/60 Hz.	
	SPECIFIC	ATION OF LEAD APRON.	
	i.	Should be AERB approved.	
	ii.	Should be light weight 1mm lead	
		equivalent.	
	iii.	Should be hook and loop type	
		(Velcro).	
	iv.	Should be supplied along with	
		thyroid guard.	
	MECHAN	IICAL SPECIFICATIONS	
	Should h	ave wheel braking facility	
	Should b	e CE Certified.	
		turer/Company should have ISO	
		08 & 13485:2003 certificates.	
	W	arranty for 2yrs	
2.	Billirubir	nometer:	
2.		ample volume of < 100 µL required,	
		utomatic calibration facility.	
		otal bilirubin concentration	
	n	neasurable (at least) in range of 0 to	
	2	0 mg/dl.	
		ime for total concentration	
		neasurement: ≤ 5 seconds.	
		vimensions (metric) Approx. 110 x	
		50 x 200 mm.	
		Veight (lbs, kg): 5 kg - 15 kgs. onfiguration (Ex: Compact,	
		nodular, to be fixed to walls, ceiling,	
		tc.).	
		loise (in dBA) <60dB.	
		leat dissipation heat disbursed	
		nrough an exhaust fan.	
	• N	Mobility, portability Easy and safe	
		ransport to be possible by hand,	
		table when tabletop mounted.	
		oltage (value, AC or DC,	
		nonophase or triphase)	
		20 to 240V, 50 Hz	
		ries (mandatory, standard)	
	ı ● H	lard and splashproof case to be	
		upplied.	

	 Spare parts (main ones): Two sets of spare/replaceable fuses, reagents and capillary tubes sufficient for 100 tests. 	
	Consumables / reagents (open, closed system)	
	 Capillary tubes, haemofluorometric reagents (e.g., aqueous cyanide salt with stabilizers, if applicable). Should be FDA / CE approved product Manufacturer / supplier should have ISO 13485 certificate for quality standard. Electrical safety conforms to standards for electrical safety IEC-60601-1.Shall meet IEC-60601-1-2 (General requirements for safety – electromagnetic compatibility). Warranty 3 years 	
2	Chara Martin Birthal	
3.	1/100 Sec. with Day, time, Alarm and Lap Function, supplied with new button type batteries and instruction manual. Should be ISO 9001:2008 certified.	
	Warranty: - 01 year.	
4.	LED Phototherapy:	
	 Phototherapy should be based on LED technology, which after filtering should provide a light of wavelength approximately 450 to 470 nm with peak wavelength of 450-460nm range. 	
	 Irradiance to be minimum 35µW/cm2/nm at 40 cm height and UV should not exceed 10-4 W/m2 in 180nm to 400nm. 	
	Effective light field >700 cm2.	
	 Lamp life should be minimum 30000 hours for LED and should have timer to indicate its usage. 	
	Over temperature safety cut out to be included.	

- Up, down and tilting of head should be possible.
- The unit should be mounted with castor wheels with brakes.
- Variation in intensity over 5-6 hours < 10%.
- The irradiance ratio (min to max) shall be greater than 40 % on mattress.
- Indicator light shall be provided to indicate that equipment is ready for normal use.
- Interruption and a restoration of the power supply should not change preset values. LED heat should be reduced on cooling.
- It should not topple on 10 deg inclined angle.
- The temperature of baby bed and metal surfaces should not exceed 40deg C and 43 deg C for other accessible surfaces.
- Mobile stand with movable castors and height adjustment facility along with easy swiveling of source box.
- **Dimensions (metric):** 1650mm Height X 750mm Width X 500mm Length.
- Weight (lbs, kg): <20 kg
- Noise (in dBA):<60dBA

ACCESSORIES:

 Complete set of replacement tubes to allow 3 months continuous

	anaustian tura vanlasament sata of	
	operation two replacement sets of	
	fuses, if replaceable type used.	
	Should have CE and ISO 9001:2008	
	and ISO 13485:2003 certification.	
	Warranty: 3 years.	
5.	Laryngoscopes	
	Fiber optic Laryngoscope	
	 Should have over 3000 fibres 	
	bundled together to ensure steady,	
	bright and focused beam.	
	 Should supply 5 different size 	
	standard blades and one handle for	
	adult and pediatric separately and	
	one short stubby	
	handle.Macintoshfibrelite blades	
	shiny finish :-	
	► Infant :92 mm,	
	> Child: 100 mm,	
	Adult: 130 mm,	
	Large Adult :155 mm,	
	Extra Large Adult : 178 mm	
	No Trauma causing hot bulb. No possibility of loose bulb entering.	
	 No possibility of loose bulb entering oral airway. 	
	 Should have cool high power light. 	
	Should have cool high power light. Should have no electrical wires in	
	the blade.	
	Should have no electrical switches.	
	Should be full stainless steel	
	construction.	
	There should be no flickering.	
	 Should be provided with battery. 	
	,	
	Warranty: 01 year.	
	Should have CE, ISO 9001:2008 and ISO	
	13485:2003 certificates	
6.	Ambu Bag(250 ml with mask)	
	Padiatric size, Silicon Polycarbonate	
	based with mask	
	Transparent with Carry bag	
	Volume: 250 ml.	
_	Should have ISO 9001:2008 certificate.	
7.	Ambu Bag(500 ml with mask)	
	Padiatric size, Silicon Polycarbonate Padiatric size, Silicon Polycarbonate	
	based with mask	
	Transparent with Carry bag Values 250 ml	
	Volume: 250 ml. Should have ISO 0001,2008 contificate.	
0	Should have ISO 9001:2008 certificate	
8.	Suction Pump(Portable)	

- 0-700 mm Hg ± 10 regulable, flutter free vacuum control knob, 25ltrs/min, tight fitting jar cap, vacuum capacity; 18 litres/min, maximum depression: -75kPa (-563mmHg).
- Wide mouthed 2 x 2 Ltrs.
- (Polycarbonate) with self-sealing bungs and mechanical over flow safety device.
- Dimension: 43 x 30 x 68 cms
- Weight: 20-30Kg
- Noise (in dBA): 50 dBA±3
- Mobility, portability: Yes
- Power consumption : 200W

Accessories (mandatory, standard); Spare parts (main ones)

 Autoclavable collection bottles, tapering connector, collection container, a vacuum gauge, lubricant, leak free NR valve and control knob.

Consumables / reagents (open, closed system)

- 10 nos. polypropelene microbial filter(size: 0.45 micrometer particle size; 90% filtration)
- Tair inlet: 8mm (outer diameter), 6mm (inner diameter), tubing: 8 mm ID x 2 mtr (PVC), polycarbonate jar.

<u>User's care, Cleaning, Disinfection &</u> Sterility issues

- Complete unit to be easily washable and sterilizable using both alcohol and chlorine agents.
- Should be FDA / CE approved product,
- The company should be ISO 13485:2003 certified
- Warranty 3 years

9. Oxygen Hood

- Transparent Polycarbonate unbreakable single molded
- Silicon rubber Neck Port, enabled to minimize the wastage of oxygen,
- Silicon rubber Neck Port adjustment to ensure use in Neonate/Infant/Pediatric patients, Oxygen inlet Port.
- Dimensions (metric): small size; medium size
- Weight (lbs, kg) : extremely light

weight Operating condition: • Capable of operating continuously in ambient temperature of 0 to 50 deg C and relative humidity of 15 to 90% in ideal circumstances. User's care, Cleaning, Disinfection & Sterility issues • Complete unit to be easily washable and sterilizable using both alcohol	
Capable of operating continuously in ambient temperature of 0 to 50 deg C and relative humidity of 15 to 90% in ideal circumstances. User's care, Cleaning, Disinfection & Sterility issues Complete unit to be easily washable and sterilizable using both alcohol	
ambient temperature of 0 to 50 deg C and relative humidity of 15 to 90% in ideal circumstances. User's care, Cleaning, Disinfection & Sterility issues • Complete unit to be easily washable and sterilizable using both alcohol	
C and relative humidity of 15 to 90% in ideal circumstances. User's care, Cleaning, Disinfection & Sterility issues • Complete unit to be easily washable and sterilizable using both alcohol	
in ideal circumstances. User's care, Cleaning, Disinfection & Sterility issues • Complete unit to be easily washable and sterilizable using both alcohol	
User's care, Cleaning, Disinfection & Sterility issues • Complete unit to be easily washable and sterilizable using both alcohol	
Sterility issues Complete unit to be easily washable and sterilizable using both alcohol	
Complete unit to be easily washable and sterilizable using both alcohol	
and sterilizable using both alcohol	
and chlorine agents.	
Should be CE or FDA approved	
The company should be ISO 13485:2003	
certified	
10 Floatronia Subvamomonomotor / Negratal)	
10 Electronic Sphygmomanometer (Neonatal)	
Display: LCD digital display Massuring principle: Oscillametric	
Measuring principle: Oscillometric	
method	
Measuring location: Wrist	
Measuring Range: Prossure: 0.300 mmHg (0.4)	
Pressure: 0-299 mmHg (0-	
39.9kPa)	
Pulse:40-199 pulses/min	
Accuracy: Dulant 2 mm Ha (10 4hBa)	
Prosecutor F. of reading	
➤ Pressure:±5 of reading	
LCD indication: Dulco: 3 digita display of	
➤ Pulse: 3 digits display of	
mmHg ➤ Symbol: Memory/Heart	
Symbol: Memory/Heart beat/Low battery	
, ,	
 Memory Function:2x90 sets memory of measurement values 	
Power source:2 pcs AAA alkaline battery DC 3V	
· · · · · · · · · · · · · · · · · · ·	
Automatic power off: In 3 minutes Main unit weight:	
 Main unit weight: Approx.122g(batteries not included) 	
Main unit size:	
• Main unit size: L73mm x W65mm x H65mm	
Main unit lifetime:	
10,000 times under normal use	
Battery life: Could be used for 300 times for nor	
mal condition	
Accessories:	
Instruction manual, storage box	
Operating Tomporature 5 400	
➤ Temperature 5-40C➤ Humidity 15%-85%RH	
Environment	
Liiviroiiiileiit	

 ➢ Air pressure 86kPa-106kPa ➢ Temperature:-20^c-55^c ,Humidity:10%-85% Package content: x blood pressure monitor device (not included batteries) x storage box x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. MUAC(Mid Upper Arm Circumference) Tape
,Humidity:10%-85% Package content: 1 x blood pressure monitor device (not included batteries) 1 x storage box 1 x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. MUAC(Mid Upper Arm Circumference)
Package content: 1 x blood pressure monitor device (not included batteries) 1 x storage box 1 x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. MUAC(Mid Upper Arm Circumference)
1 x blood pressure monitor device (not inclu ded batteries) 1 x storage box 1 x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. MUAC(Mid Upper Arm Circumference)
ded batteries) 1 x storage box 1 x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. MUAC(Mid Upper Arm Circumference)
1 x storage box 1 x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. 11 MUAC(Mid Upper Arm Circumference)
1 x English instruction manual Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. 11 MUAC(Mid Upper Arm Circumference)
Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. 11 MUAC(Mid Upper Arm Circumference)
Should be CE approved product. Manufacturer should have ISO 9001:2008 Certificate. 11 MUAC(Mid Upper Arm Circumference)
Manufacturer should have ISO 9001:2008 Certificate. 11 MUAC(Mid Upper Arm Circumference)
Certificate. 11 MUAC(Mid Upper Arm Circumference)
11 MUAC(Mid Upper Arm Circumference)
Tape
It should be made of PVC material
which is foldable. The material of
Tapeshould be such that it cannot
be stretched to maintain unique
measuring proportion.
Paper: 250 microne thickness pvc
plastic
It should havepack ofminimum
of50Tapes.
• It should besuitable for
measuringtherange upto 26.5cm
It should be graduated with 1 mm in
precisionwith thicker line at 21.0 cm
Colour codeshould beas follows:
> Red(Pantone code 1795 C)
up to 0-11.5 cm
> Yellow(Pantone code 107 C)
up to 11.5cmto 12.5 cm
Green(Pantone code 369 C)
from 12.5 cm.
The Tapemust have NHM logoon the
reverse side of it
Manufacturer should be ISO 9001:2008
certified.
Warranty :01 year
12 Field Type OT Table.:-
• Size 72" X 27" X 30"
frame made of heavy tubular steel
with
Strong mechanism for height
adjustment.
Stainless steel top in Sections.
Detachable leg side complete with
anesthetist screen Lithotomic rods
with straps & arm rest.
Should be CE, ISO 9001:2008 & 13485:2003
certificates.
Warranty for 2yrs
wullulity joi zyis

PPIUCD Forcep: Metal: Stainless Steel AISI 410 Grade with one year warranty on material and workmanship. Weight of forceps: 110 -115 g Diameter of inner ring: 11 to 15 mm (major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Box joint to end of grip length: 177 to181 mm Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Diameter of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
Metal: Stainless Steel AISI 410 Grade with one year warranty on material and workmanship. Weight of forceps: 110-115 g Diameter of inner ring: 11 to 15 mm (major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings (G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip).Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5° Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.	13	PPIUCD Forcep:	
and workmanship. Weight of forceps: 110-115 g Diameter of inner ring: 11 to 15 mm (major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings (G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
 Weight of forceps: 110 -115 g Diameter of inner ring: 11 to 15 mm (major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5° Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. Compact Hysteroscope: 		with one year warranty on material	
 Diameter of inner ring: 11 to 15 mm (major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5e Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. Compact Hysteroscope: 		and workmanship.	
(major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TiP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		 Weight of forceps: 110-115 g 	
(major diameter) Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TiP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
 Diameter of inner ring: 8.0 to 8.8 mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 14 Compact Hysteroscope: 		_	
mm (minor diameter) Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
 Thickness of ring: 3.5 to 4.00 mm Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings: (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip).Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. Compact Hysteroscope: 		_	
 Length of the clearance of forcep 33 to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip).Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5° Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 		·	
to 35 mm Tip to box joint length: 141 to145 mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip).Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
mm Box joint to end of grip length: 177 to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip).Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		 Tip to box joint length: 141 to145 	
to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
to181 mm Tip to end of grip length (A): 315 to 325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 59 Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		 Box joint to end of grip length: 177 	
325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 – 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.			
325 mm (Overall length) Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 – 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		• Tip to end of grip length (A): 315 to	
 Diameter of the finger rings(G): 27.2 - 27.5 mm (major diameter) Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 - 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. Compact Hysteroscope: 			
 Diameter of the finger rings (H): 23.1 - 23.4 mm (minor diameter) Thickness of the finger rings: 3.5 – 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 		• Diameter of the finger rings(G): 27.2	
23.1 - 23.4 mm (minor diameter) • Thickness of the finger rings: 3.5 – 3.8 mm. • Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. • Angle of the forcep tip on plane: 5º • Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		- 27.5 mm (major diameter)	
 Thickness of the finger rings: 3.5 – 3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 		 Diameter of the finger rings (H) : 	
3.8 mm. Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		23.1 - 23.4 mm (minor diameter)	
 Rings (TIP) serrated from inside Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 		• Thickness of the finger rings: 3.5 -	
Transverse and smooth (serrations not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. • Angle of the forcep tip on plane: 5º • Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		3.8 mm.	
not very sharp to damage the IUCD nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. • Angle of the forcep tip on plane: 5º • Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		 Rings (TIP) serrated from inside 	
nor too smooth to make it slip). Serrations should allow a firm and steady grip of the IUCD. • Angle of the forcep tip on plane: 5º • Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		Transverse and smooth (serrations	
slip).Serrations should allow a firm and steady grip of the IUCD. • Angle of the forcep tip on plane: 5º • Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		not very sharp to damage the IUCD	
and steady grip of the IUCD. • Angle of the forcep tip on plane: 5º • Disinfection procedures: Autoclaving / Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		nor too smooth to make it	
 Angle of the forcep tip on plane: 5º Disinfection procedures: Autoclaving Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. Compact Hysteroscope: 		• •	
 Disinfection procedures: Autoclaving Boiling up to 125 degree Centigrade. Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. Compact Hysteroscope: 		and steady grip of the IUCD.	
/ Boiling up to 125 degree Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003.		 Angle of the forcep tip on plane : 5º 	
Centigrade. • Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 14 Compact Hysteroscope:		 Disinfection procedures: Autoclaving 	
• Warranty for 01 year. Should be CE and ISO 9001:2008/13485:2003. 14 Compact Hysteroscope:			
Should be CE and ISO 9001:2008/13485:2003. 14		Centigrade.	
9001:2008/13485:2003. 14		•	
14 Compact Hysteroscope:			
		9001:2008/13485:2003.	
	1/1	Compact Hysteroscope:	
Compact Hystoroscope with telescope	1-4	Compact Hysteroscope.	
		Compact Hysteroscope with telescope	
30°, size 3.8 mm.		·	
Should consist of channel for semi		•	
rigid 5 Fr.		rigid 5 Fr.	
Length-352 mm		Length-352 mm	
Working Length-217 mm		 Working Length-217 mm 	
Weight-123 gm		Weight-123 gm	
Ergonomic handle		 Ergonomic handle 	
Operating instruments with suction		•	
and irrigation valves for continuous-		and irrigation valves for continuous-	

flow use.	
 Biopsy forceps (Spoon) 	
 Grasping forceps with alligator jaws 	
 Micro scissors 	
 Biopsy punch 	
 "Bipotrode" electrode, bipolar 5 Fr. 	
 Reprocessing basket 	
 Fiber light cable set, 2.3 m long, 	
fiber bundle ø 2.5 mm	
 Stopcock cpl. Pack of 5 	
 Rubber cap, pack of 10 	
 Warranty for 01 year. 	
Should be CE and ISO	
9001:2008/13485:2003.	
	 Biopsy forceps (Spoon) Grasping forceps with alligator jaws Micro scissors Biopsy punch "Bipotrode" electrode, bipolar 5 Fr. Reprocessing basket Fiber light cable set, 2.3 m long, fiber bundle ø 2.5 mm Stopcock cpl. Pack of 5 Rubber cap, pack of 10 Warranty for 01 year. Should be CE and ISO

ANNEXURE XIII PRICE BID

TENDER NO.....

SI	Brief Description of items	Qty. Nos.	Basic Rate per unit Rs	Tax/VAT per unit Rs	Total Amount in Rs	
1	2	3	4	5	6=3 x(4+5)	
					In Figures	In Words
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14	_					

SIGNATURE :

NAME & DESIGNATION : DATE :

NAME & ADDRESS OF THE FIRM :

ANNEXURE-XIV Form of Agreement

THIS CONTRACT AGREEMENT is made
This day of month year year
BETWEEN
(1) Name and Address of the Purchaser:
(2) Name and Address of the Supplier:
WHEREAS the Purchaser invited bids for certain goods and ancillary services, viz., [insert: brief description of goods and services] and has accepted a bid by the Supplier for the supply of those goods and services in the sum of [insert: contract price in words and figures] (hereinafter called "the Contract Price")
NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:
1. In this Agreement words and expressions shall have the same meaning as are respectively assigned to them in the Condition of Contract referred to.
2. The following documents shall constitute the Contract between the Purchaser and the Supplier, and each shall be read and constructed as an integral part of the Contract:
(a) This Contract Agreement
(b) Special Conditions of Contract
(c) General Conditions of Contract
(d) Technical Requirements (including Technical Specifications)
(e) The Supplier's bid and original Price Schedules
(f) The Purchaser's Notification of Award
(a) [Add here: any other documents]

3. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Signed: ______
In the capacity of [insert: title or other appropriate designation]
In the presence of _____
For and on behalf of the supplier

Signed: ______
In the capacity of [insert: title or other appropriate designation]

In the presence of _____

For and on behalf of the Purchaser